BUFO.

(Translated for the *Hahnemannian Monthly* from the *Journal du Dispensaire Hahnemann*, Bruxelles, Dec. 18th, 1866, and following numbers.)

BY ADOLPH LIPPE, M.D.

THERE already exists an admirable work by Dr. Desterne on the poisonous and medicinal properties of the common toad. While we acknowledge the merits of this work, which appeared in the "Journal de la Société de Medecine Homœopathique de France," in July, 1859, we consider it also a duty to publish the following pathogenesis, which far from injuring will rather complete the two studies.

A very important point in medicine assuredly is, the power of understanding well the similitudes as well as the dissimilitudes which appear between diseases as between remedies, also between remedies and diseases, inasmuch as from this knowledge depends at once the exactness of diagnostics and the safety of therapeutic applications.

We know that Cubebs is analogous with Mercury. We shall now see that the poison of the toad is in many respects analogous with piper cubeba. But yet, while these relations are of another nature, and have nothing foreign in them, since all substances have some points of resemblance more or less marked, they do not prevent essential differences; and whilst the two medicines in question agree in many of their symptoms, they are far from resembling each other in their action, and not only the morbid generalities and cases which they oppose are not always the same; for whilst piper cubeba and mercury have, so to speak, the basis of their action in the circulating system, the poison of the toad is established in the vegetative system. If there is a type of medicaments analogous, it is in the salts of lime, and long is the list of substances with which it can be compared.

We give the

Symptoms.

1 Sadness with disgust and apprehension.
Great susceptibility of temper.
Irritable and weeping for the least trifles.
Excessive anguish.
5 Anxiety about the state of health, fear of death or sorrow.
Changeable humor, taciturnity, hypochondriac.

Defiance, duplicity, rancor.
Dislike for conversation.
Aversion to strangers.
Wish for solitude, and yet a dread of being alone and of dying forsaken.
Fear of catching diseases.
Impatience and ill humor.
Great disposition to be easily frightened; a bird or insect flying by causes a start.
Fear of animals.
Anger, with desire to beat and destroy.
Attacks of anger, which cease before any one.
Dejection, laziness, distaste for occupation, or if busy it is mechanically.
Distraction; want of memory.
Weakness of intelligence.
Great difficulty in collecting the ideas.
Taking one word for another; often half-pronouncing the word, and showing irritation when not understood.
Desire to become intoxicated, and pleasure in being in that state.
Idiocy, mania, furious insanity.
Sensation of a hot vapor ascending to the top of the head.
Vertigo, with tottering, and requiring support.
Alternate movements of traction and relaxation in the temples.
Sensation of a great weight on the head, with lancinating pains in the sinciput and eyes.
Shooting in the temples, with contraction of the throat.
Great heat in the interior of the head, feeling as if the brain were boiling up.
Neuralgic pains going all over the head, affecting the eyes and the nape of the neck.
Headache, sometimes on the right, sometimes the left side.
Irradiating pains in the head and maxillary sinuses.
Shooting and pricking in the brain.
Heaviness, and weight in the head, requiring support.
A feeling of hammering knocks at different parts of the head, with commotion of all the brain.
Pressure in the temples, like two iron hands holding tight the head.

Cephalalgia, with vertigo, trembling all over the body, dimness of sight, eructation, nausea, and vomiting.

Pressing and throbbing pains in the head, heaviness in the forehead.

Sanguine congestion, with pungent pains in the brain.

40 Very painful cramps felt from the head to the cheeks and *vice versa*.

Lancinations in the back part of the brain which inclines the head to fall backwards, fainting and falling, tonic and clonic spasms, turgescence and distortion of the face, convulsive agitation of the mouth and eyes, bleeding salivation, involuntary emission of urine, frequent jerks all over the body, the motion of the legs much more violent than the arms, a heavy sweat covering the face.

After the attacks, imbecility, palpitation of the heart, general depression, trembling in the limbs, spasmodic movement of the intestines, colic and pains extending to the groins.

Sensation of tossing, as if a heavy ball was in the head.

The head feels benumbed, with intoxication and somnolence.

45 The head feels full of water.

Pressing and contractive pains inside of the head.

Heavy cephalalgia, stupefying, as though the scalp and ears were burnt with an acid.

Shooting from the interior of the head to the forehead and eyes.

Pains aggravated from the cold air and walking.

50 Sensation of chilliness and vibration of the head, accompanied by fluent coryza.

Semi-lateral cephalalgia, with nausea, depression, and wish to remain lying, particularly in the evening.

Hammering pains from the superciliary arches to the back part of the brain.

Pulsative and lancinating pain as from an abscess in the head.

Excessive headaches after spirituous drinks.

55 Great sensibility of the scalp.

A feeling of separation in the cranial bones.

Disposition to cold in the head.

Frequent and oily perspiration of the head, mostly at evening.
Burning, itching, and quivering of the scalp.
Sour and disagreeable odor of the hair.
Phlyctenoid eruption, thick and purulent scabs on the scalp.
Insupportable itching at the nape of the neck.
Change of color and decay of the hair.
Complete baldness.
The eyes feel full of gravel.
Inflammation of the eyes and lids.
Considerable weeping (epiphora).
Photophobia.
Lancinating and drawing pains in the eyes.
Continual winking.
A feeling as of cold water received on the eyes.
Swollen and burning eyelids.
Ulceration of the eyelids.
Great scabs on the eyelids.
Loss of the eyelashes.
Drawing in the eyes, with obscurity of sight.
All objects appear crooked.
Burning pains at the angle of the eyes, with ulceration and suppuration of the parts.
Convulsive beating of the eyelids.
Pressing and crampy pains in the eyes, with dazzling and vertigo
Dilated and seemingly vacillating pupil.
Myopia.
Cannot bear the sight of brilliant objects.
Reflective red and white pupils.
Ulcers on the cornea.
Muscæ volitantes before the eyes.
Far-sightedness.
Sensation of burning heat in the ears.
Crampy pains inside of the ears.
Shooting and boring in the ears like the presence of a strange object, or foreign body.
Pulsative pains in the right ear, with a sensation of hot water escaping from it.
Cracking, roaring, and tinkling in the ears.
Palpitations of the heart resounding like the beat of a drum in the ears.
Great delicacy of hearing.

The least noise is disagreeable, music even is unbearable.
Attacks of deafness.
A purulent running from the ears.
A feeling as if the auditory canal was stopped up with concretions.
Ulcers and abscesses in the ears.
Contact from water aggravates the suffering from the ears.
Hardness of hearing; words particularly are heard and understood with great difficulty.
The pains from the ears often coincide with those of the eyes and head.
Inflammatory swelling of the ears and parotids.
Exfoliation, ulceration, suppuration, and bleeding of the pavilion of the ears.
Herpetic eruption back of the ears, with insupportable itching.
Distending pain in the ear, like an insect trying to force through.
Pressure made on the submaxillary glands calms the inward pain of the ears.
Excrescences like warts at the ears.
Tumefied and scabby ears.
Coryza, with sensation of the nose being crushed.
Heat and great itching in the nostrils; constant desire to bore in the nose.
Burning, lancinating pain in the nose going to the forehead.
Ulcerated nostrils, as if they had been burnt.
Epistaxis, principally morning and evening.
Loss of smell.
Nasal hemorrhages producing almost faintness.
Coryza with great dryness of the nose.
The cold air breathed seems to corrode the nostrils.
Fluent coryza, with frequent sneezing.
Running yellow mucosities, greenish, grayish, and of putrid odor, worse in the evening after being in the air.
Beating, gnawing pains in the bones of the nose.
The nose swollen, red, and covered with pustules and pimples.
Pale face, yellow or grayish.
Face in places white and pale, or red and gray.

Thin, bony face, with eyes big, red, or deep set, and black around.
Water and moisture disagreeable to the face, causing pricking.
Much itching at the cheeks.
Face red as after a vapor bath.
Pimples on the cheeks (subcutaneal).
Eruptions like small furuncles on the cheeks and neck.
Speech difficult, embarrassed, incomprehensible.
Pustular, red, and very painful pimples on the forehead.
The skin of the face tanning, easily excoriated and ulcerated.
Inflammation and puffiness of the face; the eyes seem lost in their orbits.
Scabs and cracks in the face.
Acne rosacea.
Great sensitiveness of the skin and bones of the face.
Lancinating pains in the face, with a feeling of breaking in the bones.
Throbbing and heat in the face like having been too near a fire.
Inflammation, swelling, and caries of the bones of the face.
Acute herpes of the face, eczema.
Great quantity of constantly renewed squamous eruption, with insupportable itching.
Contracted lips, dry, chapped, bleeding, very painful.
Pellucid vesicle containing serous fluid on the lips.
Herpetic ulcerations at the commissures of the lips.
Lips swollen, big, hanging.
Mouth burning as if from an acid.
Abundant saliva.
Erysipelatous inflammation of the whole mouth.
Cold liquids aggravate the pains in the mouth.
Phlegmonous erysipelas in the face.
Tongue thick, hard, and full of small burning pimples.
Frequent biting and bleeding of the tongue.
Desire to drink and moisten the tongue although covered with saliva.
Large pimples like abscesses under the tongue, with great difficulty in eating.
Tongue cracked, and often with a bluish tinge.

Chapping and exfoliation of the sides of the cheeks.
Briny and bloody taste in the mouth.
Shooting pains, boring and searching in the teeth, excited by cold air, and changes in temperature, and by motion.
160 Drawing pains in the teeth, with contraction of the jaw and compression of the teeth.
Odontalgia principally evening and night.
Swollen gums, bleeding very easily.
Defluxion, abscess of, and ulcerated gums.
The teeth seem longer and vacillating.
165 Teeth decay and break easily.
They seem to go into the gums when eating.
Sensation of excoriation and shooting pains in the throat.
Convulsive and constricted motion in the throat, with sensation like a stone there.
Accumulation of much viscous mucosities in the throat ; habitual taste of blood.
170 Inflammation and swelling of the throat and tonsils.
Difficult and painful deglutition, can scarcely swallow the saliva.
Throbbing pains like from an abscess in the tonsils.
The air passing through it seems impregnated with a corrosive acid.
Desire to be continually snorting.
175 Mouth filled with thick mucus.
Respiration wheezing, difficult, rattling.
Membranous productions in the larynx.
Compression of the larynx with great difficulty of breathing.
Pulsating, shooting pain, and excoriation of the larynx.
180 Ulceration and tubercles in the larynx.
Burning and bleeding fissures in the larynx, with quick, jerking, and suffocating cough.
Hoarseness.
Great quantity of mucus filling the larynx and bronchiæ.
Quick cough, caused by a continual tickling in the larynx.
185 Hollow, deep cough, with painful shooting, particularly to the left side of the thorax.
Loose cough, principally in the morning on awaking

and in the evening, with cold sensation, then great heat and congestion.
Dry cough, with burning in the larynx and chest.
Violent cough, almost causing vomiting.
Abundant expectoration, frothy, whitish, yellow, grayish or greenish, and purulent.
Cough, with mucus and bloody or entirely bloody expectoration.
Cough after meals or from any emotion.
Clear, viscous expectoration often without cough.
Sensation of contraction in the trachea, and heaviness in the chest.
Difficult and laborious breathing.
Very bad-smelling breath, in the morning particularly.
Sharp stitches in the chest which checks breathing.
Oppression of the chest, with beating of the heart, particularly when walking a little fast or in going up stairs.
Burning heat in the chest like a furnace.
Dyspnœa with impossibility to remain lying; obliged to sit or bend forward to breathe.
Cutting pains in the chest accompanied with tickling and pricking.
Hoarse cough, with a feeling of tearing in the chest.
The lungs always seem to need air.
Attack of paralysis of the lungs and suffocation.
Weakness of the chest with a feeling of falling over.
Granulation and tubercles of the lungs.
Cannot keep quiet, constantly agitated, although motion aggravates the sufferings.
Inflammation and suffering of the lungs, particularly on the left side, with sharp and fatiguing cough.
Heat is agreeable; always a cold feeling, particularly in the limbs.
Violent itching, seeming to come from the lungs, and often changing its place in the chest.
Obliged to stay bent, first on one side then on the other, to calm the pains.
Irritable, preoccupied, with ill health, great dread of death.
Desire for sweetmeats, acid fruits.
Continual taste of blood in the mouth.
A feeling of scratching and heaviness in the heart.

Lancinating and drawing pains in the region of the heart like something distending it.

Shaking and searching at the cardiac region, with great oppression, particularly in the evening, after the meals, and from motion.

Trembling at the heart.

Pains like the sticking of pins at the point of the heart.

Obliged to press the region of the heart to soften the pain.

A feeling of rumbling and numbness, which commences at the cardiac region and afterwards extends all over the chest.

Whistling breathing.

Feeling as if the heart was very large and drowned in a basin of water.

Palpitations of the heart, sometimes hurried, sometimes slow, intermittent, and irregular.

Bitter taste, acid, bloody, insipid, coppery, salty, strong, or oily mouth.

No appetite, but thirst.

Extreme hunger, even after eating, in the evening particularly.

Insipid and disagreeable taste of food, particularly in the morning.

Burning heat in the stomach immediately after eating.

Disgust for salted and warm food.

Very hard to please in the food.

Strong odors, particularly tobacco, are sickening.

A desire for milk, sweetmeats, even brandy, to remove the unpleasant taste of the mouth.

Desire to be in the country and to feed upon green food.

Sweetened water and milk cause belching and nausea.

Frequently in the morning, hunger after eating.

Heat and drawing in the stomach going to the back, with scratching in the epigastric region.

Shooting, contraction, and shaking in the stomach.

Empty sensation in the stomach, also heat and cold alternately.

Fulness, heaviness, and bloated stomach.

Pricking and sensation of nibbling in the stomach.

Frequent hiccough.

Incessant eructations evening and morning.

Bitter, sour, and sickening eructations.
Phlegm followed particularly in the morning with bitter and bilious vomiting.
Difficult digestion, particularly of food taken in the morning.
Vomiting and pyrosis after each meal.
Cramps in the stomach, checking digestion.
Nausea with sensation of intoxication, particularly morning and evening.
After eating, always a sensation of being intoxicated.
Abundant phlegm noticeable particularly in the afternoon, and seems to give relief.
A feeling of weakness and faintness at the stomach.
Continued emaciation although eating with appetite.
Nausea with heaviness and pressure in the epigastric region.
Vomiting almost immediately after eating.
Vomiting of food, bile, and slime, with a taste of blood in the mouth, and drawing and cramping pain in the stomach and abdomen.
Pain in the stomach, with burning and lancinating pains irradiating to the liver and heart.
Vomiting with desire to stool.
Vomiting after the meal, particularly in the afternoon.
Yellowish, greenish vomiting, or of matter streaked with blood.
Wine aggravates the sickness at the stomach and causes vomiting.
Bluish vomiting, sometimes pure blood.
Burning, crampy, pinching pain in the stomach.
Burning at the stomach, particularly after eating.
Cramps in the stomach from the least motion.
Great sensibility of the epigastric region.
Sensation of boring and gnawing accompanied with neuralgic pains of the liver and stomach, particularly at night.
A sensation of scratching and excoriating in the stomach, like stones forcing themselves into the cardiac region.
Pulsating pain with swelling and tearing in the liver.
Burning and contraction in the region of the liver.
Every movement of the body increases the pains in the liver.

Cramps in the liver, which incline one to twisting oneself and screaming.
Pulsating and lancing pain in the liver like an abscess, accompanied with bilious vomiting.
Continued necessity for change of position.
Inflammation and swelling of the spleen with pressing and pulsating pain, continual ineffectual urging to stool, constipation, and inclination to fright.
275 Distension of the abdomen, with heat and shooting on the left side particularly.
Great heaviness in the abdomen; the intestines feel as if they were pressed and crushed.
Cramps in the intestines, which seem to twist and knot.
A feeling as if cold drinks went through the intestinal tube in all directions.
Inflammation of the intestines with distending pain; abdomen distended, colic and diarrhœa.
280 Tensive pains and painful weariness of the abdomen, extending to the hip.
Violent colic, with convulsive movement of the limbs and jaws.
Colic with tearing of the intestines, borborygmus and flatulency, often raising the intestines to the stomach.
Great sensitiveness of the abdomen, the least pressure occasions sharp lancing.
Enlarged and hard abdomen.
285 Encysted tumors of the mesentery.
Swelling of the inguinal glands.
Constipation; frequent desire to stool without success.
Difficult and hard stool.
Frequent stools a day.
290 Diarrhœic stool, sometimes involuntary, with burning in the abdomen, mostly in the rectum.
Diarrhœic stools, with tenesmus and fatigue.
Bloody diarrhœic stools, sometimes followed with very liquid whitish stools.
Yellowish diarrhœic stools mixed with dark matter.
Brown stool with very bad odor.
295 Diarrhœa, often accompanied with sickness of the stomach.
Aqueous diarrhœa, with abundant emission of urine; insatiate hunger.

Mass of serosities, as in (peritoneal) dropsy, in the hypogastric region.
Burning of the intestines, similar in effect to an eruption.
Round and long intestinal worms.
300 Erysipelatous swelling of the anus.
Blind hæmorrhoids, with great pain.
Frequent expulsion of hæmorrhoidal pimples, very painful.
Hæmorrhoids with flow of blood, sometimes with purulent matter.
Prolapsus of the rectum even without stool.
305 Itching and burning at the anus.
Excoriation between the nates and thighs.
Great heat, contraction, searching in the loins.
Distending pains, with feeling of swelling and discomfort in the loins.
Piercing pains, fatigue in the loins, obliged to lie on the back to be relieved.
310 Throbbing and shooting pains in the kidneys, accompanied with hæmaturia.
Colic of the kidneys.
The bladder feels swollen, with continual desire to urinate.
Soft concretion in the kidney and bladder.
Urine too frequent.
315 The urine is troubled and grayish.
After each passage of urine, painful stitches in the kidneys and bladder; weakness and dejection.
Whitish urine, with chalky sediment.
The urine is full of slimy mucus.
The neck of the bladder seems obstructed by polypus.
320 Sharp cutting pain, like from the blade of a knife, all along the urethra, requiring continually the touch of the hand,
Great heat in the urethra particularly after urinating.
Penis swollen, red, and burning.
Abundant yellow and grayish mucus running from the urethra, with languor and weakness in all the lower part of the body.
Erections almost null.
325 Ulceration in the urethra and in the urinary canal.
Burning pains in the prepuce.
Syphilitic pimples on the glans penis.

Extremely burning miliary eruption on the penis, also the pubis and scrotum.
Pains in the testicles, as if pulled and twisted, and at other times as if they would enter into the abdomen.
Inflammation of the testicles; they feel as if a tumor was forming.
The least motion aggravates the pains of the genitals.
Pimples of a tuberculous appearance at the scrotum.
Atrophy or hypertrophy of the testicles.
Complete absence of venereal desire.
Obstinate impotence.
Aversion to coition.
Quick ejaculation, without pleasure, sometimes with spasms and painful weariness of the limbs.
Frequent nightly pollutions, and followed by weakness.
Increase of venereal appetite.
Slow ejaculation, or failing altogether.
Desire for solitude, to give oneself up to onanism.
Inflammation and swelling of the inguinal glands.
Enormous scrofulous buboes on the groins.
Sensation of burning heat and of points in the ovaries.
Swelling and great sensation in the region of the ovaries.
Hydatid ovaries.
Violent cramps in the region of the ovaries irradiating to the inguinal regions (or groins).
Inflammatory swelling of the womb.
Distending and burning pains, or crampy, searching, and gnawing pains in the womb.
Sensation as if something separated from the uterus and ascended to the stomach, with nervous and spasmodic agitation.
Hard tumor and polypus of the uterus.
Sharp shooting pains in the womb as if caused by a stiletto.
Aggravation of the uterine sufferings, principally in the morning, or on walking or sitting too long.
Menstruation before the time and too abundant.
Menstruation with flowing of blood in clots, or very liquid and pale.
Before menstruation, headache, desire to vomit, colic, itching, and burning in the uterus and vagina.

During the menstruation, contractions in the hypochondria, pains in the liver, palpitations of the heart, shivering all through the body, but particularly in the legs, great venereal desire, shootings in the splenetic region, weariness, weakness, and general malaise.

After the courses, heaviness and bad humor.

Flowing of blood between the menstrual periods.

360 Menorrhagia.

Gripings and uterine contractions resembling labor pains.

Difficult, painful, and tedious accouchement.

Disposition to miscarry.

Ulcerations and fissures in the os tincæ.

365 Itching of the vulva often causing pollutions.

Scabby, burning, and sweating purulent eruptions on the vulva.

Before and after the courses, leucorrhœa, yellowish, thick, whitish; like cream, or like water in which meat has been washed.

Leucorrhœa appearing principally in the evening, with colic, burning in the epigastric region, and general cramps.

Purulent and offensive-smelling leucorrhœa.

370 Sensation as if the breasts were torn towards the belly.

Inflammation and swelling of the breasts.

Obstruction of the breasts. Milk vitiated and often mixed with blood.

Large abscess forming purulent sinuses in the breasts.

Little indurated nodosities and tumors like scirrhosities in the breasts.

375 Piercing, lancinating, digging, crampy, pinching, and gnawing pains in the mammary and axillary glands.

Sensation of drawing and of trembling of the skin.

The skin appears drawn to the point of cracking.

Skin, burning, red and crimped in different places.

Insupportable itching succeeded by smarting all over the body, and which is aggravated in the open air.

380 Sensation of tickling of the skin, as if insects or a quill-pen were passing over it.

Miliary and urticarial eruptions.

Large quantity of nodosities like subcutaneous tubercles.
Small white pimples which only last a day.
Pimples like small furuncles.
385 Very unhealthy skin, excoriating and cracking very easily.
Eruptions resembling the itch, lichen, and prurigo.
Phylctæna and pemphigus.
Furfuraceous herpes, humid, crustaceous, and of a yellow tint.
The sufferings of the skin are principally aggravated in the evening and night.
390 Much dandriff and scales on the hairy scalp, also all over the body.
Skin moist, humid, or dry and stiff like parchment, and changing at every change of temperature.
Skin greenish and looking dirty and oily, or having a yellow tint like jaundice.
Skin bloated and shrivelled, or loose and flabby.
Erysipelatous eruption on various parts of the body.
395 Phlegmonous erysipelas, which leaves the features of the face deformed.
Furuncles and abscess.
Malignant tumors with erysipelatous disposition.
Great desire for sleep, particularly in the morning after eating, or after having been in the open air.
Want of sleep in the evening, and at night.
400 Paroxysms of sleepiness coming on after having eaten, and in the afternoon.
When in bed, cramps; itching in all the limbs, and neuralgic pains, particularly in the head, which cause anguish and prevent sleep.
Lying on the back increases all the sufferings, and one is obliged to lie on one's right side or on the stomach to be able to sleep.
Drowsiness with agitation and inability to sleep; one constantly turning in bed.
Sleep very heavy, with congestion to the head.
405 Sleep tardy, or prolonged too much in the matin, with dreams; night-mare and great fatigue on waking.
During the sleep, excessive perspiration, particularly towards matin.

On waking, stiffness of the neck, arthritic pains, and aggravation of all the sufferings.
Sleep agitated with waking with starts, frights, and palpitation of the heart.
Dreams numerous, fantastic, and nearly always frightful.
Dreams of travels, projects, and greatness.
Sleep with talking, cries, and groans, and waking with sobs.
Insufficient sleep, waking too early in the morning.
Obstinate cold in bed at night.
Waking sad or very joyful.
Bad humor on sleeping in the evening, also on waking in the morning.
On waking, great lassitude and desire to sleep, as if one had not slept.
Fever.
Alternation of cold and heat rising like waves from the inferior part of the body.
Cold and shiverings, with moisture of the skin, and nervous and trembling excitement.
Sharp heat, with head embarrassed; burning of the neck, in the throat and chest; pulse increased; great thirst.
Abundant perspiration, accompanied by weakness, often with unhealthy appetite.
Aggravation of the fever in the evening, night, and sometimes in the morning.
Daily afternoon fever with great weakness.
Fever with shivering, exaltation of muscular force, and delirium, principally in the evening.
Heat and burning all over the body, accompanied by passing shiverings.
Tertian fever, with general weakness, great hunger and thirst.
Pulse hard, frequent, irregular; much more increased and agitated in the evening than the morning.
Night sweats, particularly on the head, the chest, and the back.
Debilitating sweat and sour smell, chiefly in the morning in bed.
Abundant perspiration in consequence of the least exercise.
The body is nearly always wet with perspiration.

General feeling of heat and swelling, followed by oppression and icy coldness of the whole economy.
Uneasiness all through the body, with great moral and physical agitation.
Uneasiness and weakness particularly in the morning, with impossibility of leaving the place where one is sitting.
Sufferings showing themselves chiefly morning and evening, and aggravated by great heat, the wind, by too substantial food, meat, by smells and strong drinks, dampness and working in the air.
Pains sometimes in the right, and sometimes in the left, but rarely in two sides at once.
Cold, shiverings, tremblings and vertigo, particularly on going into the open air.
Desire to move about and take gymnastic exercise in the evening.
Constant feeling of inebriation.
Inflammations and sanguinous congestions, particularly in the throat, head, and chest.
Prickings and torpors in different parts of the body.
Cramps and shiverings in the limbs.
Epileptic convulsions in the evening, the night, and sometimes in the morning, also at the time of the new moon.
Fainting fits, immediately after meals, and in the evening.
Great fatigue and profuse sweat after the least exertion.
Fits of nervousness with laughing, and crying both at once.
Swelling and redness all over the body, as in general erysipelas.
Falling away of the flesh, and enlargement of the belly.
Obesity.
Great sensibility to the cold air and to the wind.
Swelling and induration of the glands.
Swelling, ulceration, and deviation of the bones.
Lancinating, searching, sensitive pains, with great weakness in the limbs.
Pulsative pains in the articulations.
Sensation of being bitten in different parts of the body.

Great weakness, with sensation as if all the bones were sunk down by their own weight.
Contractions and very painful cramps from the extremity of the limbs to the trunk.
Frequent cramps, redoubled in intensity in the cold air, morning and evening.
The limbs numb and dead in the morning on waking.
460 Contusive pains, in the arms, legs, and loins, particularly during movement.
Frequent pains of luxation.
Trembling of the limb.
Contractions of the right and left arm.
Digging pains in the humero-cubital articulation.
465 Pains in the arms and in all the joints, as if they had been bruised and crushed.
Heaviness in the arms.
Great difficulty of moving the arms.
Extreme weakness of the arms.
Violent pains on trying to move the arms.
470 Drawing pains in the arms, principally in the evening, at night, and in the morning on waking.
Burning, lancinating pains in the bones of the arms.
Pulsative and lancinating pains; erysipelatous swelling of the arms and hands.
Inflammatory tumors on the arms.
Paralytic weakness of the arms and hands.
475 Fits of muscular exaltation, with great desire to exercise the arms.
Pains of luxation, principally in the wrists.
The lightest clothing on the arms annoys and inconveniences the prover.
Swelling of the wrists and finger-joints, with burning pains and great pulsations in these parts.
Arthritic nodosities.
480 Hands and fingers often numb and stiff, with disposition to become crooked.
Cracks and crevices in the hands.
Burning nettle-rash eruptions on the hands.
Frequent transpiration of the hands.
Warts, principally upon the back of the hand.
485 Whitlow, attacking even the bones of the fingers.
Lancinating pains, with extreme weakness in the hips and legs, chiefly on walking or changing position.

Pains like bruises in the knees, with desire to squat down.
Feeling of burning and dryness in the patella.
Tumefaction like a cord, as in phlegmasia alba dolens, extending from the groins to the popliteal region.
Great weakness of the limbs, which, as soon as one rises, give way under the weight of the body.
Disposition to turn the feet in walking, and to sprains.
Gouty swelling of the legs.
Sensation as if the legs and feet were upon a brazier.
Uneasiness and irritation of the legs; desire to move them constantly; the patient does not know how to keep still, and what position to take to ease them.
Cramps in the legs and toes, chiefly on extending them in bed.
Unsteady walk, and as if one would sooner jump than walk.
Pains as of luxation in the knees and feet.
Numbness of the legs.
Heaviness of the legs, with sensation of pulling in the joints.
Shootings in the knees, principally on walking.
Sensation as if a bolt was planted in the joints of the thighs, knees, and feet, and prevented them from moving.
Swelling of the knees, with pulsative and distending pains.
Varicose tumors on the legs.
Furfuraceous herpes, with great itching of the legs and thighs.
Deep red tumefactions like contusions on the legs.
Swelling of the legs, particularly in the evening and after walking.
Erysipelas on the legs.
Arthritic swelling of the feet.
Burning, lancinating, and pulsative pains in the feet, with a sensation as if they were always too much squeezed.
Coldness and numbness of the feet.
Very painful blisters and corns on the feet.
Inflammation, swelling, and great brittleness of the bones of the leg.
Tophus on the knees and feet.